



# CENTRAL POLLUTION CONTROL BOARD

## REGIONAL DIRECTORATE KOLKATA

Regional Directorate, 502 Southend Conclave, 6th Floor, 1582 Rajdanga Main Road, Kolkata- 700107

### Air LABORATORY

#### Atmospheric Pollution Analysis Report

|     |  |   |   |
|-----|--|---|---|
| 1.  | Report No. & Date of Issue             | : | RDKL/2324/APP/00057,06/11/2023                                      |
| 2.  | Samples Registration No. & Date        | : | RDKL/APP/2324/SR00026,27/10/2023                                    |
| 3.  | Analysis Request Division/Organization | : | RD Kolkata  |
| 4.  | Sample Collected by                    | : | Md. A. Rafique, T K Mukhopadhyay, Sukanto Halder, S N Bhattacharjee |
| 5.  | Sampling Plan Preference               | : | RDKL/APP/2324/SP00019   |
| 7.  | Date of Sample Receipt                 | : | 27/10/2023  |
| 8.  | Sample Analysis Period                 | : | 31/10/2023 31/10/2023   |
| 9.  | Sample Details                         | : |   |
| 10. | Report Status                          | : | Final   |
| 11. | Report Sent To                         | : | DH of RD Kolkata  |

Remarks (if any) :

Statement :

1. The results relate only to the samples tested.
2. The report shall not be reproduced except in full. without the written approval of the CPCB.

Analyst

Supervisor & Reviewer

Issued By(DH Air-Science Lab)

Md Abdur Rafique

Abhijit Pathak

|                         |             |               |                       |                          |
|-------------------------|-------------|---------------|-----------------------|--------------------------|
| Doc: CB/RDK/TR/QR/7.8/3 | Issue No:01 | Revision No:1 | Issue Date:20/01/2020 | Revision Date:08/12/2022 |
|-------------------------|-------------|---------------|-----------------------|--------------------------|

Date: 30 Dec 2023

This is a computer-generated Report. No signature is required.