

# CENTRAL POLLUTION CONTROL BOARD

## REGIONAL DIRECTORATE KOLKATA

Regional Directorate, 502 Southend Conclave, 6th Floor, 1582 Rajdanga Main Road, Kolkata- 700107

#### Air LABORATORY

## Atmospheric Pollution Analysis Report

Report No. & Date of Issue : RDKL/2324/APP/00158,10/12/2023
Samples Registration No. & Date : RDKL/APP/2324/SR00066,17/11/2023

3. Analysis Request Division/Organization : RD Kolkata

4. Sample Collected by : Md. A. Rafique, Sukanta Haldar, O P Shaw, T K

Muhopadhyay

5. Sampling Plan Preference : RDKL/APP/2324/SP00053

7. Date of Sample Receipt : 17/11/2023

8. Sample Analysis Period : 17/11/2023 21/11/2023

9. Sample Details : Cloudy10. Report Status : Final

11. Report Sent To : DH of RD Kolkata

PARTICULATE MATTER					
Sr. No	Field Code	Parameter Name	Sample Matrix	Unit	Result val
1	AO138328,AO138329, AO138330	Arsenic	PARTICULATE MATTER	ng/m3	2
2	AO138328,AO138329, AO138330	Lead	PARTICULATE MATTER		0.06
3	AO138328,AO138329, AO138330	Nickel	PARTICULATE MATTER	ng/m3	1
4	W0033078	PM2.5	PARTICULATE MATTER		62
5	W0033079	PM2.5	PARTICULATE MATTER		40

## Remarks (if any):

#### Statement:

1. The results relate only to the samples tested.

2. The report shall not be reproduced except in full. without the written approval of the CPCB.

Analyst Supervisor & Reviewer Issued By(DH Air-Science Lab)

Md Abdur Rafique Abhijit Pathak

Doc: CB/RDK/TR/QR/7.8/3Issue No:01Revision No:1Issue Date:20/01/2020Revision Date:08/12/2022

Date: 27 Dec 2023 This is a computer-generated Report. No signature is required.