



CENTRAL POLLUTION CONTROL BOARD
REGIONAL DIRECTORATE KOLKATA
Regional Directorate, 502 Southend Conclave, 6th Floor, 1582 Rajdanga Main
Road, Kolkata- 700107

Air LABORATORY
Atmospheric Pollution Analysis Report

1. Report No. & Date of Issue : RDKL/2324/APP/00083,10/12/2023
2. Samples Registration No. & Date : RDKL/APP/2324/SR00048,11/11/2023
3. Analysis Request Division/Organization : RD Kolkata
4. Sample Collected by : Md. A. Rafique,P Rai, K Ayush, D Choudhuri, B Dinda, D Koner
5. Sampling Plan Preference : RDKL/APP/2324/SP00036
7. Date of Sample Receipt : 11/11/2023
8. Sample Analysis Period : 11/11/2023 21/11/2023
9. Sample Details :
10. Report Status : Final
11. Report Sent To : DH of RD Kolkata

PARTICULATE MATTER					
Sr. No	Field Code	Parameter Name	Sample Matrix	Unit	Result val
1	A0116388 to A0116390	Arsenic	PARTICULATE MATTER	ng/m3	5
2	A0116388 to A0116390	Lead	PARTICULATE MATTER		0.41
3	A0116388 to A0116390	Nickel	PARTICULATE MATTER	ng/m3	2
4	W0033065	PM2.5	PARTICULATE MATTER		144
5	W0033066	PM2.5	PARTICULATE MATTER		193

Remarks (if any) :

Statement :

1. The results relate only to the samples tested.
2. The report shall not be reproduced except in full. without the written approval of the CPCB.

Analyst

Supervisor & Reviewer

Issued By(DH Air-Science Lab)

Md Abdur Rafique

Abhijit Pathak

Doc: CB/RDK/TR/QR/7.8/3	Issue No:01	Revision No:1	Issue Date:20/01/2020	Revision Date:08/12/2022
-------------------------	-------------	---------------	-----------------------	--------------------------

Date: 27 Dec 2023

This is a computer-generated Report. No signature is required.