



CENTRAL POLLUTION CONTROL BOARD
REGIONAL DIRECTORATE KOLKATA
Regional Directorate, 502 Southend Conclave, 6th Floor, 1582 Rajdanga Main
Road, Kolkata- 700107

Air LABORATORY
Atmospheric Pollution Analysis Report

1.	Report No. & Date of Issue	:	RDKL/2324/APP/00084,10/12/2023
2.	Samples Registration No. & Date	:	RDKL/APP/2324/SR00047,11/11/2023
3.	Analysis Request Division/Organization	:	RD Kolkata
4.	Sample Collected by	:	Md. A. Rafique, T K Mukhopadhyay, O P Shaw, S Halder
5.	Sampling Plan Preference	:	RDKL/APP/2324/SP00035
7.	Date of Sample Receipt	:	11/11/2023
8.	Sample Analysis Period	:	11/11/2023 21/11/2023
9.	Sample Details	:	
10.	Report Status	:	Final
11.	Report Sent To	:	DH of RD Kolkata

PARTICULATE MATTER

Sr. No	Field Code	Parameter Name	Sample Matrix	Unit	Result val
1	A0116362 to A0116364	Arsenic	PARTICULATE MATTER	ng/m3	5
2	A0116362 to A0116364	Lead	PARTICULATE MATTER		NT
3	A0116362 to A0116364	Nickel	PARTICULATE MATTER	ng/m3	NT
4	W0033899	PM2.5	PARTICULATE MATTER		179

Remarks (if any) :

Statement :

1. The results relate only to the samples tested.
2. The report shall not be reproduced except in full. without the written approval of the CPCB.

Analyst

Supervisor & Reviewer

Issued By(DH Air-Science Lab)

Md Abdur Rafique

Abhijit Pathak

Doc: CB/RDK/TR/QR/7.8/3	Issue No:01	Revision No:1	Issue Date:20/01/2020	Revision Date:08/12/2022
-------------------------	-------------	---------------	-----------------------	--------------------------

Date: 27 Dec 2023

This is a computer-generated Report. No signature is required.