

**Central Pollution Control Board HO - Instrumentation Lab**

**FM/01/20 Job Card**

**Issue No. : 1234**

**Issue Date : 03/01/2022**

**Page No. : 1 / 1**

**Amendment No. : 2020**

**Amendment Date: 03/01/2022**

**JOB ORDER SHEET**

**Allocated To : Maneesh N**

**Date of Allocation : 18/05/2023**

**Due date for Result Submission : 05/06/2023**

Sample Code List	Name of the Parameter	Test Method	Observation	Results	Unit
INSTR/WW24/0021/ICP-AES	Chloride		10,12,,10,266,188	10,12,,10,266,188	
INSTR/WW24/0023/ICP-AES	Chloride				
INSTR/WW24/0018/ICP-AES,INSTR/WW24/0019/ICP-AES,INSTR/WW24/0020/ICP-AES,INSTR/WW24/0021/ICP-AES,INSTR/WW24/0022/ICP-AES,INSTR/WW24/0023/ICP-AES,INSTR/WW24/0024/ICP-AES,INSTR/WW24/0025/ICP-AES,INSTR/WW24/0026/ICP-AES,INSTR/WW24/0027/ICP-AES,INSTR/WW24/0028/ICP-AES,INSTR/WW24/0029/ICP-AES,INSTR/WW24/0030/ICP-AES	Chromium				
INSTR/WW24/0018/ICP-AES,INSTR/WW24/0019/ICP-AES,INSTR/WW24/0020/ICP-AES,INSTR/WW24/0021/ICP-AES,INSTR/WW24/0022/ICP-AES,INSTR/WW24/0023/ICP-AES,INSTR/WW24/0024/ICP-AES,INSTR/WW24/0025/ICP-AES,INSTR/WW24/0026/ICP-AES,INSTR/WW24/0027/ICP-AES,INSTR/WW24/0028/ICP-AES,INSTR/WW24/0029/ICP-AES	Arsenic				
	Cobalt				
	Copper				
	Iron				
	Lead				
	Manganese				
	Nickel				
	Zinc				
INSTR/SSW24/0014/ICP-AES,INSTR/SSW24/0015/ICP-AES,INSTR/SSW24/0016/ICP-AES,INSTR/SSW24/0017/ICP-AES	Zinc				

**Test Start Date :**

**Test Completion Date :**

**LR no. & Page No. :**

**Remark : For Processing and analysis**