

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

To,

Executive Engineer
W/S & Sanitation Div no.1, Div no.2 Distt. Moga.

No.: RAWTL/2223/00021 Dated : 22/04/2022

Subject : Testing Reports of Water Samples.

Reference: Your Letter/SRF No. 21 Dated:

As per above cited subject and reference, Please find enclosed here with the report of 35 Water sample/s received on dated 21/04/2022. It is request to fill the attached feedback form and send it back to Regional Advance Water Testing Laboratory, Phase 2, SAS Nagar

D/A : Test Report

Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00558	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Datarie Wala (TW10001) / 521 ft			
Village :	NA	Habitation :	NA			
Block:	Moga-I	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	11.51	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00559	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Butter Kalan /Borian Basti (TW7564) / 500 ft			
Village :	NA	Habitation :	NA			
Block:	Moga-I	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	42.00	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00560	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Butter Kalan	Location/Depth :	NA / 442 ft			
Village :	Butter	Habitation :	Butter			
Block:	Moga-I	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	22.21	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00561	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Bhugi Pura	Location/Depth :	NA / 885 ft			
Village :	Mehra Basti	Habitation :	Mehra Basti			
Block:	Moga-I	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	47.45	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.		No : 21 Dated :		
		Sample Submitted by		Ms. Manju		
		Date of Sample Receipt		21/04/2022		
		Analysis Starting Date		21/04/2022		
		Analysis completion Date		22/04/2022		
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00562	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Charik	Location/Depth :	NA / 400 ft			
Village :	Charik	Habitation :	Charik			
Block:	Moga-I	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	44.91	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00563	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Ramuwala Nawan	Location/Depth :	NA / 325 ft			
Village :	Ramuwala Nawan	Habitation :	Ramuwala Nawan			
Block:	Moga-I	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	39.13	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00564	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Chupkiti	Location/Depth :	NA / 500 ft			
Village :	ChupKiti	Habitation :	ChupKiti			
Block:	Moga-I	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	34.75	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00565	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Mallian wala	Location/Depth :	NA / 520 ft			
Village :	Mallian Wala	Habitation :	Mallian Wala			
Block:	Moga-I	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	28.32	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00566	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Budh Singh wala	Location/Depth :	NA / 357 ft			
Village :	Budh Singh Wala	Habitation :	Budh Singh Wala			
Block:	Moga-I	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	44.45	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00567	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Dosanj	Location/Depth :	NA / 350 ft			
Village :	Dosanjh	Habitation :	Dosanjh			
Block:	Moga-I	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	57.14	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00568	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Rattian/SC Basti (TW15027) / 300 ft			
Village :	NA	Habitation :	NA			
Block:	Moga-II	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	119.76	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00569	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	RATTIAN	Location/Depth :	NA / 300 ft			
Village :	RATTIAN	Habitation :	RATTIAN			
Block:	Moga-II	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	60.01	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00570	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Dagru	Location/Depth :	NA / 700 ft			
Village :	Dagru	Habitation :	Dagru			
Block:	Moga-II	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	37.68	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00571	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Jhandiana Garbi (IMP17524) / 500 ft			
Village :	NA	Habitation :	NA			
Block:	Moga-II	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	28.08	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00572	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Bukan wala	Location/Depth :	NA / 400 ft			
Village :	Bukan Wala	Habitation :	Bukan Wala			
Block:	Moga-II	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	39.25	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00573	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Daulat Pura Ucha	Location/Depth :	NA / 700 ft			
Village :	Daulat Pura Ucha	Habitation :	Daulat Pura Ucha			
Block:	Moga-II	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	48.40	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00574	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Jogge Wala (TW10016) / 600 ft			
Village :	NA	Habitation :	NA			
Block:	Moga-II	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	36.59	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00575	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Daya Kalan/Danu Wala (TW2120) / 314 ft			
Village :	NA	Habitation :	NA			
Block:	Dhramkot at Kot Ise Khan	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	20.81	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00576	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Bhinder Kalan (TW10055) / 301 ft			
Village :	NA	Habitation :	NA			
Block:	Dhramkot at Kot Ise Khan	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	31.65	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00577	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Kot Sadar Khan (TW10079) / 314 ft			
Village :	NA	Habitation :	NA			
Block:	Dhramkot at Kot Ise Khan	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	24.44	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021		Date of Issue :	22/04/2022		
Registration no.:	RAWTL/REG2223/00578		Condition of Sample :	Unsealed		
Source :	TUBEWELL		Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle		
Scheme :	NA		Location/Depth :	Balkhandi (TW14377) / 410 ft		
Village :	NA		Habitation :	NA		
Block:	Dhramkot at Kot Ise Khan		District :	Moga		
Latitude :	NA		Longitude:	NA		
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	50.70	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021		Date of Issue :		22/04/2022	
Registration no.:	RAWTL/REG2223/00579		Condition of Sample :		Unsealed	
Source :	TUBEWELL		Quantity/Type of Bottle:		500 ml / Amber Colored Glass Bottle	
Scheme :	NA		Location/Depth :		Noorpur Harkima (TW4024) / 450 ft	
Village :	NA		Habitation :		NA	
Block:	Dhramkot at Kot Ise Khan		District :		Moga	
Latitude :	NA		Longitude:		NA	
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	37.84	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00580	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Datte Wala (TW19137) / 492 ft			
Village :	NA	Habitation :	NA			
Block:	Dhramkot at Kot Ise Khan	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	27.52	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00581	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Cheema (TW1953) / 492 ft			
Village :	NA	Habitation :	NA			
Block:	Dhramkot at Kot Ise Khan	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	33.32	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00582	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Gajjana Abadi on NSW Road (TW2410) / 350 ft			
Village :	NA	Habitation :	NA			
Block:	Nihal Singh Wala	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	32.47	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00583	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Gajjiana	Location/Depth :	NA / 370 ft			
Village :	Gajjiana	Habitation :	Gajjiana			
Block:	Nihal Singh Wala	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	36.27	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00584	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Gajjana Abadi on Gajjan Road (TW2410) / 350 ft			
Village :	NA	Habitation :	NA			
Block:	Nihal Singh Wala	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	42.35	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00585	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Kishangarh/Abadi on Kangar (TW3168) / 370 ft			
Village :	NA	Habitation :	NA			
Block:	Nihal Singh Wala	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	70.77	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00586	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Kishangarh	Location/Depth :	NA / 370 ft			
Village :	Kishan garh	Habitation :	Kishan garh			
Block:	Nihal Singh Wala	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	49.00	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.		No : 21 Dated :		
		Sample Submitted by		Ms. Manju		
		Date of Sample Receipt		21/04/2022		
		Analysis Starting Date		21/04/2022		
		Analysis completion Date		22/04/2022		
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00587	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Himatpura/SC Basti on Barnala / 270 ft			
Village :	NA	Habitation :	NA			
Block:	Nihal Singh Wala	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	47.53	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00588	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Himatpura	Location/Depth :	NA / 280 ft			
Village :	Himatpura	Habitation :	Himatpura			
Block:	Nihal Singh Wala	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	44.97	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00589	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Bhagi Ke	Location/Depth :	NA / 315 ft			
Village :	Bhagi Ke	Habitation :	Bhagi Ke			
Block:	Nihal Singh Wala	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	31.36	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.		No : 21 Dated :		
		Sample Submitted by		Ms. Manju		
		Date of Sample Receipt		21/04/2022		
		Analysis Starting Date		21/04/2022		
		Analysis completion Date		22/04/2022		
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00590	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Bhagi ke/Abadi on NSW Road (TW1508) / 300 ft			
Village :	NA	Habitation :	NA			
Block:	Nihal Singh Wala	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	63.93	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.			Customer Reference No.		No : 21 Dated :	
			Sample Submitted by		Ms. Manju	
			Date of Sample Receipt		21/04/2022	
			Analysis Starting Date		21/04/2022	
			Analysis completion Date		22/04/2022	
Discipline : Chemical Testing			Group: Water			
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00591	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	Patto Jawahar Singh	Location/Depth :	NA / 360 ft			
Village :	Patto Jawahar Singh	Habitation :	Patto Jawahar Singh			
Block:	Nihal Singh Wala	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	73.12	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----

REGIONAL ADVANCE WATER TESTING LABORATORY, PHASE 2, SAS NAGAR

Water Works Complex, Phase- 2 , S.A.S NAGAR , Punjab
rawtlmohali@gmail.com

TEST REPORT						
Name & Address of Customer : Executive Engineer W/S & Sanitation Div no.1, Div no.2 Distt. Moga.		Customer Reference No.	No : 21 Dated :			
		Sample Submitted by	Ms. Manju			
		Date of Sample Receipt	21/04/2022			
		Analysis Starting Date	21/04/2022			
		Analysis completion Date	22/04/2022			
Discipline : Chemical Testing		Group: Water				
Test Report No.:	RAWTL/2223/00021	Date of Issue :	22/04/2022			
Registration no.:	RAWTL/REG2223/00592	Condition of Sample :	Unsealed			
Source :	TUBEWELL	Quantity/Type of Bottle:	500 ml / Amber Colored Glass Bottle			
Scheme :	NA	Location/Depth :	Saido ke Near School (TW4447) / 390 ft			
Village :	NA	Habitation :	NA			
Block:	Nihal Singh Wala	District :	Moga			
Latitude :	NA	Longitude:	NA			
Sample Type: Water						
Sr. No	Parameter	Result	As per IS-10500:2012 (2nd Rev.)		Unit	Reference Method :
			Acceptable Limit	Permissible Limit		
1	Uranium	73.59	30	No Relaxation	µg/l	APHA (23rd Ed.2017) Method: 3125 B By ICPMS

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part and can't be used as evidence in court of law.
4. Abbreviation used (TDS = Total Dissolved Solids, mg/l = milligram per liter, BDL = Below detection limit, APHA = American Public Health Association, IS = Indian Standard, NT = Not Tested, NA = Not Applicable NTU = Nephelometric Turbidity Unit, RA = Reaffirmed)
5. * Value not available or test not performed for this parameter.

Satyender Singh
Sr. Chemist
Authorized Signatory
For, Regional Advance Water Testing
Laboratory, Phase 2, SAS Nagar

----- End of the Test Report -----