

Central Pollution Control Board RD - KOLKATA

CB/RDK/JC/QR/7.4/6 Specific Criteria for Water (Bio-Monitoring) Job Card in Biological Laboratory

Issue No. : 01

Issue Date : 20/01/2020

Page No. : 1 / 1

Amendment No. : 01

Amendment Date: 08/12/2022

JOB ORDER SHEET

Allocated To : AJAY KUMAR DUBEY

Date of Allocation : 13/10/2023

Due date for Result Submission : 10/11/2023

Sample Code List	Name of the Parameter	Test Method	Observation	Results	Unit
2324/RDKL/FW/FW/L00014,2 324/RDKL/FW/FW/L00015,23 24/RDKL/FW/FW/L00016	Copper	APHA 24th Ed. 3125 B Part 3000.233 to 242			µg/l
	Iron	APHA 24th Ed. 3125 B Part 3000.233 to 242			µg/l
	Manganese	APHA 24th Ed. 3125 B Part 3000.233 to 242			µg/l
	Nickel	APHA 24th Ed. 3125 B Part 3000.233 to 242			µg/l
	Lead	APHA 24th Ed. 3125 B Part 3000.233 to 242			µg/l
	Zinc	APHA 24th Ed. 3125 B Part 3000.233 to 242			µg/l
	Arsenic	APHA 24th Ed. 3125 B Part 3000.233 to 242			µg/l
	Cadmium	APHA 24th Ed. 3125 B Part 3000.233 to 242			µg/l
	Chromium	APHA 24th Ed. 3125 B Part 3000.233 to 242			µg/l

Test Start Date :

Test Completion Date :

LR no. & Page No. :

Remark :